


CONTENTS


02	Handmade and British	90	KIRKPATRICK IN SITU
05	Our history		
06	Why choose us?	94	BLACKSMITH FORGE
08	Ranges and finishes		range
		96	Door furniture
10	BLACK IRON RANGE	100	Window furniture
12	Door and gate furniture	102	Hooks and handles
12	Lever handles		
20	Hinges and hinge fronts	104	CAST BRASS RANGE
26	Thumb and gate latches	105	Door furniture
32	Letter plates	112	Window furniture
35	Bolts and locks	114	Hooks, handles and locks
42	Pull handles		
46	Door knobs	116	RAWNSLEY RANGE
50	Door knockers		
54	Door accessories	122	BESPOKE PRODUCTS
64	Gate fittings	100	REFURBISHING AND
64	Gate stops, catches,	123	TAKING CARE OF
	locking bars/hasp and staples		
	Window furniture		YOUR PRODUCTS
66	Casement fasteners	10.4	INICDIDATIONI
66	• •	124	INSPIRATION
74	Casement stays	105	CLISTOMED CALLEDY
78	Cabinet and drawer furniture	125	CUSTOMER GALLERY
79	Handles	10/	\\/\!EBE TO BUIL
80	Knobs and pulls	126	WHERE TO BUY
82	Home accessories	127	GLOSSARY
82	Hooks and brackets		
86	Lighting	128	PRODUCT INDEX
88	Patio and fireside	123	THE BOOK IN IDEA

Front cover image: Door knocker 782, centre door knob 3064, lever door handle 6054 and letter plate 1083 all in Antique Black


We reserve the right to change, add or withdraw items from our range at any time.



02 MMADE IN BRITAIN



OUR HISTORY



Our business was founded by William Kirkpatrick, Esq. J. P. (1817–1887) in Walsall in 1855, and carried on for many years in his name and direction.

His son, Vincent Kirkpatrick, succeeded his father and presided over the incorporation of the business as a Limited Company in 1901. Upon incorporation, many loyal and long serving employees were given a shareholding, starting a tradition which continues to this day.

Many of the descendents of those first shareholders still retain their interest in the Company and the Kirkpatrick family still also retain a shareholding.

Adapting to change

While looking back through our large collection of product catalogues dating back to the 19th century, much of our present window and door furniture remains true to our roots and has changed little over the past 160 years.

But we've not stood still – apart from during both World War I and II, when production was interrupted to concentrate on the war effort, we've been constantly evolving to reflect changing tastes, fashions and technology. For example, many of our window fasteners now include secure locking mechanisms and we also supply products to suit modern UPVC windows and doors.



The last UK foundry

In the mid-20th century there were many jobbing foundries in the Midlands and the Black Country, however most have fallen by the wayside owing to increasing international competition from India and the Far East.

As a result, we are immensely proud to be the only manufacturer of traditional black ironmongery left in the UK who genuinely pours their own metal.

Our continued success is due to the world-class quality of our genuinely handmade products and our ability to adapt and develop our range to suit the needs of an ever changing world.





05

FROM POURING TO PACKING...

...each stage is performed by our own fair hands — making us the only ironwork company whose products are genuinely handmade in Britain from start to finish.



STAGE 1 PATTERN MAKING

Dave gets the ball rolling by creating the distinctive patterns from which every Kirkpatrick product is born.



STAGE 6 COOLING

David removes the heavy weights from moulds (which stop the iron exploding) and it begins to cool.



STAGE 11 GRINDING

David grinds away the rough edges and unwanted seams to give the castings a smarter finish.



STAGE 16 COATING

Dean sprays our products with a powder coating for a great finish, before baking them again for extra durability.



STAGE 2
MOULDING

Chris skilfully makes the moulds by pressing the patterns into a special box filled with black sand.



STAGE 7
REMOVING

Dave moves the moulds and taps off the sand, to reveal the fresh new casting underneath.



STAGE 12 FILING

Bill completes the smoothing and rounding of each individual piece with a quick file down.



STAGE 17
PACKING

Tracy makes sure every product is packed with the same care and attention that goes into making them.



STAGE 3
MELTING

Paul adds pig iron to the induction furnace, which is heated to a melting point of 1,200 °C.



STAGE 8 SHOT BLASTING

Stuart puts the castings with metallic shot into a barrelling machine to smooth away rough edges.



STAGE 13 DRILLING

Sandra hand drills individual holes on each casting for accuracy and to give a high quality, durable finish.



STAGE 18 SENDING

Mark works hard to ensure every customer receives their Kirkpatrick products in good time.



STAGE 4
COLLECTING

Kevin collects the molten iron as it is poured from the tipped furnace into pre-heated pots.



STAGE 9
ANNEALING

Mark places the castings into pots which are heated to $1{,}000\,^{\circ}\text{C}$ – making the iron strong yet malleable.



STAGE 14 ASSEMBLING

Dave assembles a range of our products by attaching, hammering and expertly screwing them together.



STAGE 19 ENJOYING

It takes over six weeks to create every Kirkpatrick product, each providing a lifetime of enjoyment.



STAGE 5 POURING

Ransford needs a steady hand to evenly pour the molten iron into different moulds.



STAGE 10 SORTING


Martin takes the castings, which have undergone further shot blasting, and separates each into storage boxes.



STAGE 15 DIPPING

Michael makes sure the castings never rust by hanging and dipping each one in protective paint.





WHY CHOOSE US?

We are the last remaining British foundry to genuinely make our products from start to finish by hand in the UK.

We believe our 160-year tradition for producing handmade ironmongery and utilising the skills of our local workforce, gives Kirkpatrick products a style, authenticity and longevity that cannot be matched by less expensive, poor quality imitations.

It is a combination of our experience, expertise and dedication to producing ironwork of the utmost character which means that you will not find better quality or value anywhere else in the world.

Our heritage

Much of our black iron door and window furniture is based on patterns (designs) used by our foundry since its inception in the 19th century. Our workforce today uses essentially the same finishing and assembly techniques as back then, which have been handed down and refined through generations.

It's this history which helps us create durable and beautiful ironwork products that have an integrity and authenticity which is second to none.

Our craft

Each and every piece of our ironmongery is crafted by hand over a six week period, ensuring each door handle and window latch is unique and lovingly created to provide strength and quality which will last a lifetime.

Added to this, we react quickly and efficiently to our customer's needs, and are able to produce new fittings that perfectly match the style and character of any room or building.

Our promise

We keep most of our products in stock and aim to deliver within 72 hours. So if you're trying to find a match for existing traditional ironwork or perhaps want to fit out a stylish new barn conversion, we're sure to have what you need. We can supply everything from door and window furniture to coat hooks and shelf brackets, but if you can't find what you are looking for please get in touch as we are also able to create bespoke, one-off pieces to suit your exact needs.

Our authenticity

We use malleable iron, because it is stronger and more durable than imported alternatives. This authenticity, coupled with the high quality of our products has made us recognised leaders in our field.

We're proud to be the only traditional ironmongery manufacturer able to use the Made in Britain logo. Why buy a traditional British product steeped in history from India or China?

Our guarantee

We are proud of our heritage and the quality of our malleable iron products. Crafted to the highest standards using traditional manufacturing processes we are confident that you cannot buy a better quality product.

Care instructions are included with each product and by adopting this simple advice you can help ensure that Kirkpatrick Ironmongery will remain highly decorative and will last a lifetime.

Our green creds

Although we are a traditional company, we're always looking for ways to improve our efficiency and therefore our environmental impact – so we've invested in reducing our energy consumption which has helped us save 250 tonnes of carbon each year since we upgraded our processes.

Our factory emissions are minimal and regularly tested to ensure we comply with the Environmental Protection Act and as a result – our carbon footprint is lower than many of our competitors who use foundries in unregulated countries and whose products have been imported into the UK.



RANGES



BLACK IRON

Our Black Iron range is the largest available anywhere in the world. Pieces range from traditional to contemporary in style and are available in Antique or Smooth Black Iron finish, with other finishes available on certain products. (See page 10)



CAST BRASS

Our Cast Brass range is modelled from select pieces from our Black Iron range, which are made entirely from brass so the manufacturing process used differs from our black iron pieces. The component parts are highly polished before assembly and then have a tough lacquer applied to protect the product. (See page 104)



BLACKSMITH FORGE

Our stylish Blacksmith Forge range has been inspired by the iconic Gothic architecture of the late medieval period. It includes both door and window furniture, plus other fittings, and comes in a flat matt black or Argent finish to suit both traditional and contemporarystyled homes. (See page 94)



RAWNSLEY

The Rawnsley range is based on ornate patterns rescued from a foundry on Cannock Chase which closed in the early 1980s. Some of the patterns are also to be found in old Kirkpatrick catalogues. The Rawnsley range is available in Black, Pewter and Argent finishes. (See page 116)

FINISHES



AB ANTIQUE BLACK

A stippled and slightly glossy black iron finish gives our products a unique texture. This is achieved by using antique style castings and the application of our tough powder coat protection. Products which have moving parts are also subjected to a prior coat of paint for additional protection.



SB SMOOTH BLACK

A smooth matt textured, black iron finish. Although many products look similar to those with an Antique Black finish these differ because we use a smooth style pattern. The same paint and powder process as Antique Black is generally used.



A ARGENT

Argent has a slight stippled 'naked' silver metal finish which creates subtle highlights in differing lights. It differs from Pewter in that it is a bare metal finish with a coat of clear lacquer applied for protection.



P PEWTER

Our Pewter finish is achieved by using a different colour final coating to give a long lasting Pewter effect. This finish is available on most products.



used to produce our Cast Brass range, and after casting the components are polished and then assembled by hand, finally finished with a tough lacquer to offer protection against corrosion.



08 MADE IN BRITAIN 09







Lock, latch, bathroom, Euro & oval 228 x 50mm (9" x 2")

2445

Lock, latch, bathroom, Euro & oval 152 x 38mm (6" x 1 1/2")

2450 Lock, latch, bathroom, Euro & oval 190 x 57mm (7 1/2" x 2 1/4")

Lock, latch, bathroom, Euro & oval 247 x 50mm (9 3/4" x 2")

2445/1065

Lever handle with escutcheon cover over keyhole. Cover also available on other patterns.


2433 Latch only – 139 x 47mm (5 1/2" x 1 7/8")

Lock or latch – 184 x 57mm (7 1/4" x 2 1/4") Short latch – 143 x 57mm (5 5/8" x 2 1/4")

2440

Lock, latch, bathroom, Euro & oval 152 x 38mm (6" x 1 1/2")

Lock or latch – 152 x 38mm (6" x 1 1/2") Short latch – 101 x 38mm (4" x 1 1/2")





















2448

Lock, latch & bathroom 159 x 50mm (6 1/4" x 2")

2449

Lock, latch, bathroom, Euro & oval 165 x 50mm (61/2" x 2")

2520

Latch only – 108 x 50mm (4 1/4" x 2")

2442

Lock, latch & bathroom 159 x 50mm (6 1/4" x 2")

2451

Lock, latch, bathroom, Euro & oval $164 \times 47 \text{mm} (61/2" \times 17/8")$

2488

Lock, latch, bathroom, Euro & oval 127 x 50mm (5" x 2")

2444

Lock, latch & bathroom 165 x 50mm (61/2" x 2")

2454

Lock, latch, bathroom, Euro & oval 164 x 47mm (6 1/2" x 1 7/8")

2519

Lock, latch & bathroom 127 x 50mm (5" x 2")

















2496

Lock, latch, bathroom, Euro & oval 177 x 38mm (7" x 1 1/2")

2495

Lock, latch & bathroom 184 x 50mm (6 1/2" x 2")

2568

Lock, latch, bathroom & Euro 152 x 38mm (6" x 1 1/2")

2564

Lock – 140 x 55mm (5 1/2" x 2 1/2") Latch – 114 x 55mm (4 1/2" x 2 1/2")

2494

Lock – 185 x 50mm (7 1/4" x 2") Latch – 152 x 50mm (6" x 2") Bathroom – 185 x 50mm (7 1/4" x 2")

245

Lock, latch, bathroom, Euro & oval 152 x 38mm (6" x 1 1/2")

2491

Lock, latch, bathroom, Euro & oval 197 x 45mm (7 3/4" x 1 3/4")

2563

Lock – 140 x 38mm (5 1/2" x 1 1/2") Latch – 114 x 38mm (4 1/2" x 1 1/2")

See glossary (p127) to identify which handle type you require. All products are spring loaded except where indicated.

14 **MADE IN BRITAIN**BLACK IRON RANGE | LEVER HANDLES 15





2432

Latch only - 70 x 70mm (2 3/4" x 2 3/4")

2521

Euro & oval - 265 x 44mm (10 1/2" x 1 5/8") 72mm & 92mm standard centres Not spring loaded

Euro & oval - 266 x 38mm (10 1/2" x 1 1/2") 72mm & 92mm standard centres Not spring loaded

For Euro style handles, specials can be made in lock and latch in an un-sprung version. Please enquire for more information.

Latch only – 50 x 50mm (2" x 2")

2523

Euro & oval – 265 x 44mm (10 1/2" x 1 5/8") 72mm & 92mm standard centres Not spring loaded

Euro & oval – 266 x 38mm (10 1/2" x 1 1/2") 72mm & 92mm standard centres Not spring loaded

See glossary (p127) to identify which handle type you require.

879 Latch only – 50 x 50mm (2" x 2")

2460

Euro & oval - 266 x 38mm (10 1/2" x 1 1/2") 72mm & 92mm standard centres Not spring loaded

Euro & oval – 273 x 44mm (10 3/4" x 1 3/4") 72mm & 92mm standard centres Not spring loaded











Cylinder 6000

6054

Euro only 266 x 38mm (10 1/2" x 1 1/2") 72mm & 92mm standard centres Not spring loaded

2463

Lock, latch, bathroom & Euro Euro available when matched to sashlock 7008 267 x 38mm (10 1/2" x 1 1/2") Spring loaded

2524

Euro & oval 266 x 38mm (10 1/2" x 11/2") 72mm & 92mm standard centres Not spring loaded


Cylinder 6000

Black double cylinder or thumb turn and single cylinder. Keyed alike, keyed to differ or master keyed. Odd sizes available in multiples of 5mm. Please ask for details.

2522


Euro & oval 266 x 38mm (10 1/2" x 1 1/2") 72mm & 92mm standard centres Not spring loaded

For Euro style handles, specials can be made in lock and latch in an un-sprung version. Please enquire for more information.



20 KIRKPATRICK.CO.UK

DOOR AND GATE FURNITURE HINGES



799

228 x 101mm (9" x 4") 304 x 140mm (12" x 5 1/2") 400 x 146mm (15 3/4" x 5 3/4") 457 x 152mm (18" x 6") 533 x 152mm (21" x 6") 609 x 160mm (24" x 61/4")

228 x 108mm (9" x 4 1/4") 266 x 108mm (10 1/2" x 4 1/4") 304 x 108mm (12" x 4 1/4") 381 x 108mm (15" x 4 1/4") 457 x 108mm (18" x 4 1/4")

419 x 171mm (16 1/2" x 6 3/4")

304 x 133mm (12" x 5 1/4") 406 x 133mm (16" x 5 1/4") 482 x 133mm (19" x 5 1/4") 660 x 133mm (26" x 5 1/4")

152 x 63mm (6" x 2 1/2") 263 x 101mm (10 1/2" x 4") 313 x 101mm (12" x 4") 388 x 101mm (15" x 4") 456 x 101mm (18" x 4") 513 x 101mm (21" x 4")

508 x 209mm (20" x 8 1/4")


1161

304 x 101mm (12" x 4") 381 x 101mm (15" x 4") 457 x 101mm (18" x 4")

Lift off hinge Strap – 283mm (11") Plate - 88 x 28mm (3 1/2" x 1")

406 x 108mm (16" x 4 1/4") 457 x 120mm (18" x 4 3/4") 508 x 120mm (20" x 4 3/4")

DOOR AND GATE FURNITURE **HINGES**








1509






















5141/5148 SB P

1159 304 x 114mm (12" x 4 1/2") 1517

228 x 114mm (9" x 4 1/2")

1512 207 x 95mm (8" x 3 3/4")

660 x 133mm (26" x 5 1/4")

1513

194 x 80mm (7 1/2" x 3 1/4")

1510

133 x 94mm (5 1/4" x 3 3/4")

457 x 101mm (18" x 4") 609 x 101mm (24" x 4")

816

203 x 95mm (8" x 4")

156 x 88mm (6" x 3 1/2") 232 x 114mm (9" x 4 1/2") 304 x 114mm (12" x 4 1/2") 1509

Suitable for cabinet doors 111 x 51mm (4 1/2" x 2")

829

Suitable for cabinet doors 90 x 69mm (3 1/2" x 2 5/8")

1558 Suitable for cabinet doors 101 x 35mm (4" x 1 3/8")

Suitable for cabinet doors 89 x 41mm (3 1/2" x 1 5/8")

171 x 63mm (6 3/4" x 2 1/2")

Suitable for cabinet doors 95 x 45mm (3 1/4" x 1 3/4")

Suitable for cabinet doors 80 x 42mm (3 1/4" x 1 5/8")

177 x 63mm (7" x 2 1/2")

(5141) Steel butt hinge – 102mm (4") (5148) Steel butt hinge – 76mm (3")

22 MADE IN BRITAIN BLACK IRON RANGE | HINGES 23

DOOR AND GATE FURNITURE HINGES











Suitable for cabinet doors 51 x 38mm (2 1/8" x 1 3/4") 70 x 50mm (2 3/4" x 2")

139 x 114mm (5 1/2" x 4 1/2")

Suitable for cabinet doors 83 x 45mm (3 1/4" x 1 3/4)

Suitable for cabinet doors 130 x 73mm (5" x 2 7/8")

DOOR AND GATE FURNITURE HINGE FRONTS









798

304 x 139mm (12" x 5 1/2") 392 x 145mm (15 1/2" x 5 3/4") 457 x 152mm (18" x 6") 533 x 152mm (21" x 6")

821

203 x 73mm (8" x 1 7/8") 304 x 89mm (12" x 3 1/2") 457 x 139mm (18" x 5 1/2")

304 x 129mm (12" x 5 3/4") 381 x 146mm (15" x 5 3/4") 457 x 146mm (18" x 5 3/4") 533 x 146mm (21" x 5 3/4")

381 x 82mm (15" x 3 1/4") 457 x 89mm (18" x 3 1/2")

304 x 114mm (12" x 4 1/2") 406 x 159mm (16" x 6 1/4") 508 x 216mm (20" x 8 1/2")

101 x 89mm (4" x 3 1/2")

247 x 54mm (9 3/4" x 2 1/8")

820

152 x 41mm (6" x 1 5/8") 304 x 63mm (12" x 2 1/2") 406 x 120mm (16" x 4 3/4") 457 x 120mm (18" x 4 3/4")

345 x 90mm (13 3/4" x 3 1/2")

304mm (12"), 381mm (15") 457mm (18"), 533mm (21")

Front of latch set 3619 in Argent 26 KIRKPATRICK.CO.UK

DOOR AND GATE FURNITURE THUMB LATCHES



3624

Handle - 203mm (8") Latch - 216mm (81/2") Handle - 235mm (9 1/4") Latch - 216mm (8 1/2")

Available in left and right hand versions (Left hand shown)

3618

Handle - 228 x 63mm (9" x 2 1/2") Latch - 197mm (7 3/4")

1147

Handle - 197mm (7 3/4") Latch - 152mm (6")

Handle – 254 x 63mm (10" x 2 1/2") Latch – 228mm (9")

Handle – 254 x 50mm (10" x 2") Latch – 177mm (7")

Side fixing catch Handle – 190 x 50mm (7 1/2" x 2") Latch - 101mm (4")

Handle – 177 x 38mm (7" x 1 1/2") Latch – 216mm (8 1/2")

Handle – 203 x 63mm (8" x 2 1/2") Latch – 127mm (5")

Handle – 190 x 63mm (7 1/2" x 2 1/2") Latch – 152mm (6")

DOOR AND GATE FURNITURE THUMB LATCHES





Handle - 203mm (8") Latch - 152mm (6")

Handle - 260 x 73mm (10 1/4" x 2 7/8") Latch - 247mm (9 3/4")

Cupboard latch - 127mm (5")

Cranked handle - 190mm (71/2") Latch - 139mm (5 1/2") Available in left and right hand versions

Handle - 152mm (6") Latch - 114mm (41/2")

Cupboard latch - 114mm (4.5")

Bow handles each side of door Handle - 241mm (9 1/2") Latch - 203mm (8")

4320

Plate – 247 x 59mm (9 3/4" x 2 1/4") Latch – 228mm (9") Inside of handle - 108mm (4 1/4")

Plate – 216 x 44mm (8 1/2" x 1 3/4") Latch - 241mm (9 1/2") Inside of handle – 89mm (3 1/2")














Plate - 191 x 35mm (7 1/2" x 1 3/8") Latch - 203mm (8") Inside of handle - 89mm (3 1/2")

Cranked or straight. Cranked has locking wedge. Available in left and right hand versions. Handle – 191mm (7 1/2") Latch - 127mm (5")

Plate - 197 x 46mm (7 3/4" x 1 3/4") Inside of handle – 89mm (31/2")

See glossary (p127) to understand the difference between straight and cranked.

DOOR AND GATE FURNITURE **GATE LATCHES**


















































SB P



1251 AB P

866

4088 SB P 867

Plate – 127 x 76mm (5" x 3") Handle diameter – 89mm (3 1/2")

Handle - 76mm (3") Rose - 63mm (2 1/2")

3981 Ring – 76mm (3") Plate - 76mm (3")

Handle - 101mm (4") Rose diameter – 101mm (4")

Plate - 108mm (4 1/4") Ring - 76mm (3")

Latch - 203mm (8") or 254mm (10")

Handle - 76mm (3")

Rose – 50mm (2")

Ring - 76mm (3") Plate - 76mm (3")

Latch - 127mm (5") or 177mm (7")

1249

Latch – 152mm (6")*, 177mm (7")*, 203mm (8"), 254mm (10") *Supplied with 1146 catch & staple

Latch - 152mm (6") or 197mm (7 3/4")

869

Latch - 203mm (8")

Latch - 127mm (5"), 152mm (6"), 177mm (7")

4438

Latch – 152mm (6")

Latch - 177mm (7") or 203mm (8")

4088

Latch - 152mm (6")

1146

Latch - 127mm (5")

Latch – 127mm (5"), 152mm (6"), 177mm (7")

867

Latch - 152mm (6")

30 KIRKPATRICK.CO.UK BLACK IRON RANGE | GATE LATCHES 31

Lever door handle 2449 and letter plate 1073 in Antique Black. Beetle shoe remover 5005 in Smooth Black 32 KIRKPATRICK.CO.UK

DOOR AND GATE FURNITURE LETTER PLATES

































1073	Outside	Opening	Fixing bolt centres
	304 x 82mm	144 x 38mm	222mm
	(12" x 3")	(6" x 1 1/2")	(81/2")
	362 x 88mm	203 x 44mm	277mm
	(14 1/4" x 3 1/2")	(8" x 1 3/4")	(10 3/4")
	419 x 76mm	260 x 33mm	345mm
	(16 1/2" x 3")	(10 1/4" x 1 5/16")	(13 1/2")
1324	Outside	Opening	Fixing bolt centres
	228 x 76mm	155 x 41mm	191mm
	(9" x 3")	(6 1/8" x 1 5/8")	(7 1/2")
	267 x 101mm	203 x 45mm	235mm
	(10 1/2" x 4")	(8" x 1 3/4")	(91/4")
1911	Outside	Opening	Fixing bolt centres
	267 x 114mm	203 x 41mm	235mm
	(10 1/2" x 4 1/2")	(8" x 1 5/8")	(91/4")

1085	Outside	Opening	Fixing bolt centres
	304 x 101mm	139 x 38mm	222mm
	(12" x 4")	(5 1/2" x 1 1/2")	(8 3/4")
	362 x 104mm	203 x 44mm	279mm
	(14 1/4" x 4 1/8")	(8" x 1 3/4")	(11")
962	Outside	Opening	Fixing bolt centres
	228 x 101mm	163 x 41mm	203mm
	(9" x 4")	(6 3/4" x 1 5/8")	(8")
1083	Outside	Opening	Fixing bolt centres
	266 x 76mm	139 x 35mm	171mm
	(8" x 3")	(5 1/2" x 1 1/3")	(6 3/4")
	266 x 108mm	203 x 44mm	241mm
	(10 1/2" x 4 1/4")	(8" x 1 3/4")	(9 1/4")
	340 x 102mm	238 x 50mm	296mm
	(13 3/4" x 4")	(9 3/4 x 1/8")	(11 1/2")
	352 x 127mm	275 x 62mm	313mm
	(13 3/4" x 5")	(11 x 2 1/2")	(12 1/2")

DOOR AND GATE FURNITURE LETTER PLATES



1963





1100/1102/1103

1103 Internal flap – 355 x 101mm (14" x 4")







1963	Outside 295 x 108mm (11 5/8" x 4 1/4")	Opening 203 x 44mm (8" x 1 3/4")	Fixing bolt centres 254mm (10")	967	Outside 317 x 76mm (13" x 3")	Opening 139 x 38mm (5 1/2" x 1 1/2")	
1100	Internal flap – 241 x 71mm (9 1/2" x 3")			1233	Outside	Opening	
1102	Internal flap – 292 x 76mm (11 1/2" x 3")				311 x 57mm (12 1/4" x 2 1/4")	133 x 28mm (5 1/4" x 1 1/8")	

DOOR AND GATE FURNITURE BOLTS AND LOCKS



1155

Straight or cranked Plate – 152 x 45mm (6" x 1 3/4") or 203 x 54mm (8" x 2 1/8")

Straight only Plate – 254 x 54mm (10" x 2 1/8") or 304 x 54mm (12" x 2 1/8")

1131

Straight or cranked Plate – 101 x 25mm (4" x 1")

902

Straight only Plate – 127 x 50mm (5" x 2")

Bolt - 152mm (6")

1156

Straight or cranked Plate – 152 x 45mm (6" x 1 3/4") or 203 x 45mm (8" x 1 3/4")

903

Straight only Plate – 152 x 63mm (6" x 2 1/2") Bolt – 152mm (6") Plate – 222 x 89mm (8 3/4" x 3 1/2") Bolt – 228mm (9")

830

Straight or cranked Bolt – 101mm (4") or 152mm (6") Plate – 27 x 95mm (11/16" x 3 3/4") or 27 x 150mm (11/16" x 6")

1157

Straight or cranked Plate – 114 x 38mm (4 1/2" x 1 1/2") Bolt – 127mm (5")

Plate – 190 x 57mm (7 1/2" x 2 1/4") Bolt – 203mm (8")

Straight only

Plate - 241 x 57mm (9 1/2" x 2 1/4")

Bolt - 254mm (10") Plate - 292 x 57mm (11 1/2" x 2 1/4") Bolt - 304mm (12")

1196

63 x 35mm (2 1/2" x 1 3/8")

1149

Plate – 304 x 50mm (12" x 2") Bolt – 555mm (22")

DOOR AND GATE FURNITURE **BOLTS AND LOCKS**



Straight or cranked Plate – 193 x 50mm (7 5/8" x 2") Bolt - 203mm (8")

Straight only Plate – 228 x 54mm (9" x 2 1/8")

Bolt – 254mm (10") Plate – 279 x 57mm (11" x 2 1/4")

Bolt - 304mm (12")

1546 Straight only

Plate - 101mm (4")

5170

Straight only Bolt – 152 x 45mm (6" x 1 3/4")

See glossary (p127) to understand the difference between straight and cranked.

Straight only Plate – 190 x 57mm (7 1/2" x 2 1/4") Bolt - 203mm (8")

1547

Cranked only Plate - 101mm (4")

Straight or cranked 152 x 45mm (6" x 1 3/4")

1154 Straight only Plate 101 x 38mm (4" x 1 1/2") or 152 x 38mm (6" x 1 1/2")

Straight only. Plate width for all – 50mm (2") 305 x 16mm (12" x 5/8"), 381 x 16mm (15" x 5/8"), 457 x 16mm (18" x 5/8"), 533 x 16mm (21" x 5/8"), 610 x 16mm (24" x 5/8"), 762 x 19mm (30" x 3/4"), 915 x 19mm (36" x 3/4"), 1,220 x 19mm (48" x 3/4")

Straight only Plate width for all – 57mm (2 1/4") 203mm (8"), 254mm (10"), 305mm (12") 381mm (15"), 457mm (18"), 533mm (21") 610mm (24"), 686mm (27"), 762mm (30") 915mm (36")



Privacy bolt 1150 in Antique Black 38 KIRKPATRICK.CO.UK

DOOR AND GATE FURNITURE BOLTS AND LOCKS



Flush bolt – 152 x 25mm (6" x 1") or 203 x 25mm (8" x 1")

2968

152mm (6")

Rim lock – 152 x 102mm (6" x 4")

2967

123 x 76mm (4 3/4" x 3")

Privacy bolt with vacant/engaged sign Latch – 64 x 25mm (2 1/2" x 1") Catch – 64 x 20mm (2 1/2" x 3/4") Disc – 70 x 70mm (2 3/4" x 2 3/4")

Lock, latch or deadlock. Supplied with 1550 knob, oval escutcheon and Wilkes spindle. Lock body – 125 x 103 x 19mm (4 3/4" x 4" x 3/4")

5135

Espagnolette bolt – 2.4m (8ft) Also available in 3.05m (10ft) on request Secures the door both top and bottom.

Drop bolt – 457 x 101mm (18" x 4") Diameter of handle 15mm (5/8") Guides 86 x 45mm (3 3/8" x 1 3/4") & 66 x 45mm (2 1/2" x 1 3/4")

5147

Door rack bolt

DOOR AND GATE FURNITURE **BOLTS AND LOCKS**





Standard night latch - 60mm (2 3/8")

Star spindle knob (Chubb) – 33mm (1 3/10")

5133

Bathroom turn and release - 33mm (13/10") Suitable dead bolt available (5140)

Rim cylinder and keys - 33mm (11/4")

5140

Deadlock





 ∇

2

(€1121











(7000) Deadlock with escutcheons – 64mm (21/2") (7001) Deadlock with escutcheons - 76mm (3")

7004

Sash rebate kit

7011/7012

(7011) Bathroom lock – 64mm (2 1/2") (7012) Bathroom lock - 76mm (3")

7002/7003

(7002) Sashlock – 64mm (21/2") (7003) Sashlock – 76mm (3")

7008/7009

(7008) Euro sashlock – 64mm (21/2") (7009) Euro sashlock – 76mm (3")

7013/7014

(7013) Euro deadlock – 64mm (2 1/2") (7014) Euro deadlock – 76mm (3")



5132

(7006) Tubular latch – 64mm (2 1/2") (7007) Tubular latch – 76mm (3")

5143

Narrow night latch - 40mm (11/2")

7005

Deadlock rebate kit

40 KIRKPATRICK.CO.UK

Pull handle 3603 in Argent 42 KIRKPATRICK.CO.UK

DOOR AND GATE FURNITURE PULL HANDLES



2157

304 x 63mm (12" x 2 1/2") Inside grip – 152mm (6")

2164

Straight handle 381 x 50mm (15" x 2")

2155 343 x 73mm (13 1/2" x 2 7/8") Inside grip – 152mm (6")

152 x 44mm (6" x 1 3/4") 266 x 57mm (10 1/2" x 2 1/4") (Right hand shown)


2173 444 x 76mm (17 1/2" x 3") Inside grip – 190mm (7 1/2")

266 x 44mm (10 1/2" x 1 3/4")

386 x 50mm (15 1/4" x 2")

191 x 64mm (7 1/2" x 2 1/2")







564 101mm (4"), 127mm (5"), 152mm (6"), 177mm (7"), 228mm (9")

1578 215 x 63mm (8 1/2" x 2 1/2") 937 127mm (5") 3652 254mm (10")

(5")

1579 152mm (6") 3651 203mm (8") or 254mm (10") 1125 146mm (5 3/4") 2788 Inside grip – 76mm (3") or 101mm (4") **2105** Inside grip – 114mm (4") 1883 Inside grip – 76mm (3"), 89mm (31/2"), 101mm (4"), 127mm (5"), 152mm (6") **4013** 152mm (6"), 190mm (7 1/2"), 254mm (10")

44 KIRKPATRICK.CO.UK

Door knob 3056, shelf 5131, drawer pulls 3960 and cupboard knobs 1135 all in Antique Black 46 KIRKPATRICK.CO.UK

DOOR AND GATE FURNITURE DOOR KNOBS



808

Mortice or rim Knob - 50mm (2") Plate – 63mm (21/2")

1205

Mortice or rim Knob – 50mm (2") Plate - 85mm (3 3/8")

1550

Mortice or rim Knob - 63 x 39mm (21/2"x11/2")

Plate - 57mm (2 1/4")

1069

Mortice or rim Knob – 44mm (1 3/4") Plate – 67 x 50mm (2 5/8" x 2")

1206

Mortice or rim Knob – 50mm (2") Plate - 60mm (2 3/8")

1551

Mortice or rim Knob – 63 x 38mm (2 1/2" x 1 1/2")

Plate - 67 x 50mm (2 5/8" x 2")

1089

Mortice or rim Knob - 60 x 38mm (2 3/8" x 1 1/2") Plate - 67 x 50mm (2 5/8" x 2")

1207

Mortice or rim Knob – 50mm (2") Plate – 85mm (3 3/8")

3067

Mortice or rim Knob – 44mm (1 3/4") Plate – 60mm (2 1/4")

DOOR AND GATE FURNITURE DOOR KNOBS





3056

Mortice or rim

Knob – 57mm (2 1/4")

Plate – 63mm (2 1/2")

Knob – 70mm (2 3/4")

Plate – 76mm (3")

3072

Centre door knob Knob – 82mm (3 1/4") Plate – 171 x 120mm (6 3/4" x 4 3/4")

3370

Centre door knob Knob – 73mm (2 7/8") Plate – 76mm (3")

3064

Centre door knob Knob – 70mm (2 3/4") Plate – 76mm (3")

3066

Centre door knob Knob – 82mm (3 1/4") Plate diameter – 101mm (4")

4085

Mortice or rim Knob – 41mm (1 5/8") Plate – 64mm (2 1/2")

1203

Mortice or rim Knob – 50mm (2") Plate – 67 x 50mm (2 5/8" x 2")

3372

Centre door knob Knob – 65mm (2 1/2") Plate – 71mm (2 3/4")

4064

Mortice or rim Knob – 64 x 38mm (2 1/2" x 1 1/2") Round plate – 64mm (2 1/2")

1554

 $\begin{array}{l} Mortice\ or\ rim\ (Mortice\ shown) \\ Knob-44mm\ (1\ 3/4") \\ Plate-66\ x\ 50mm\ (2\ 5/8"\ x\ 2") \end{array}$

1553

Mortice or rim (Mortice shown) Knob - 60 x 38mm (2 3/8" x 1 1/2") Plate - 66 x 50mm (2 5/8" x 2")

C38

Mortice or rim (Mortice shown) Ball – 44mm (1 3/4") Plate – 51mm (2")

3075

Mortice or rim (Rim shown) Square design with smooth finish Knob – 64×38 mm ($2 \cdot 1/2$ " x $1 \cdot 1/2$ ") Plate – 64×64 mm ($2 \cdot 1/2$ " x $2 \cdot 1/2$ ") Escutcheon – 38mm ($1 \cdot 1/2$ ")

See glossary (p127) to understand the difference between mortice and rim.

48 MADE IN BRITAIN

BLACK IRON RANGE | DOOR KNOBS 49


DOOR AND GATE FURNITURE DOOR KNOCKERS



















578 197 x 114mm (7 3/4" x 4 1/2")

1239 Hand – 165 x 70mm (6 1/2" x 2 3/4")

586 140 x 101mm (5 1/2" x 4")

896 Lion head – 123 x 76mm (4 3/4" x 3") Ring – 101mm (4")

574 Fox – 127 x 127mm (5" x 5")

Ring – 101mm (4") Plate – 50mm (2")

4896 Lion head- 114 x 95mm (4 1/2" x 3 3/4") Ring - 101mm (4")

1117 Plate – 101 x 50mm (4" x 2")

Ring – 127mm (5") Plate – 69mm (2 3/4")



DOOR AND GATE FURNITURE DOOR KNOCKERS





Plate - 228 x 120mm (9" x 4 3/4")

1005

203 x 70mm (8" x 2 3/4")

2623

Owl bedroom door knocker 101 x 38mm (4" x 1 1/2")

German 16th century 'Dolphin' pattern 203 x 50mm (8" x 2")

944 Plate – 190 x 83mm (7 1/2" x 3 1/4")

Laughing cat bedroom door knocker 108 x 31mm (4 1/4" x 1 1/4")

Bedroom door knocker 127 x 50mm (5" x 2")

242 x 57mm (9 1/2" x 2 1/4")

2621

Bat bedroom door knocker 76 x 89mm (3" x 3 1/2")

Lion bedroom door knocker 133 x 79mm (5 1/4" x 3 1/8")





DOOR AND GATE FURNITURE DOOR ACCESSORIES



Bell pull – 521mm (20 1/2") Suitable for use with bell crank

Bell crank – 152 x 89mm (6" x 3 1/2") Available fitted for use with electric bell or not fitted for traditional bell

1485 Cylinder latch pull 85 x 50mm (3 1/2" x 2")

1253 Bell pull – 508mm (20") Suitable for use with bell crank

Bell crank – 139 x 50mm (5 1/2" x 2") Available fitted for use with electric bell or not fitted for traditional bell

1486 Cylinder latch cover/pull 127 x 58mm (5" x 2 1/2")

Bell pull – 521mm (20 1/2") Suitable for use with bell crank

1484 Cylinder latch cover 65 x 58mm (2 1/2" x 2 1/4")

Cylinder latch cover/pull 127 x 58mm (5" x 2 1/2")

DOOR AND GATE FURNITURE DOOR ACCESSORIES























Cylinder latch knocker 197 x 57mm (7 3/4" x 2 1/4")

1756 Bell push – 85 x 85mm (3 1/4" x 3 1/4") Supplied with electrical contacts

1761 Bell push – 121 x 32mm (4 3/4" x 1 1/4") Supplied with electrical contacts

Cylinder latch cover 58 x 58mm (2 5/16" x 2 5/16")

Bell push – 77 x 44mm (3" x 1 3/4") Supplied with electrical contacts

Bell push – 57 x 57mm (2 1/4" x 2 1/4") Supplied with electrical contacts

Euro cylinder latch pull
Backplate – 85 x 50mm (3 3/8" x 2")
Projection – 20mm (3/4")
To be used with a Euro profile cylinder

1753 Bell push – 89 x 44mm (3 1/2" x 1 3/4") Supplied with electrical contacts

Bell push – 60 x 60mm (2 3/8" x 2 3/8") Supplied with electrical contacts







1481


Security latch pull – through version 70 x 50mm (2 3/4" x 2")

Security latch pull – concealed version 70 x 50mm (2 3/4" x 2")

56 **对MADE IN BRITAIN** BLACK IRON RANGE | DOOR ACCESSORIES 57

DOOR AND GATE FURNITURE DOOR ACCESSORIES





















Square door grille – 171 x 171mm (6 3/4")

1081 Door stud. Drive or screw Head – 16mm (5/8"), 19mm (3/4"), 22mm (7/8"), 25mm (1")

Escutcheon – 44 x 30mm (1 3/4" x 1 1/8")

Square door grille 165 x 165mm (6 1/2") or 304 x 304mm (12")

Door stud. Screw Head - 22mm (7/8")

Escutcheon – $48 \times 35 \text{mm} (17/8" \times 13/8")$

Escutcheon - 48 x 25mm (17/8" x 1")

Escutcheon – 45 x 30mm (1 3/4" x 1 1/8")

1065

Escutcheon - 54 x 25mm (2 1/8 x 1")



DOOR AND GATE FURNITURE **DOOR ACCESSORIES**







1493

1400













Escutcheon - 50 x 38mm (2" x 1 1/2")

Escutcheon - 44 x 32mm (1 3/4" x 1 1/4")

3045

Escutcheon - 50mm (2")

3012

Steel escutcheon - 48mm (17/8")

1401

Escutcheon with Euro profile 50 x 50mm (2" x 2")

Door stop - 89mm (3 1/2")

1493

Escutcheon - 73 x 25mm (2 7/8" x 1")

Escutcheon with Euro profile 70 x 50mm (2 3/4" x 2")

Cylinder 6000

Black double cylinder or thumb turn and single cylinder. Keyed alike, keyed to differ or master keyed. Odd sizes available in multiples of 5mm. Please ask for details.



1855

777







1976







1977

House numerals and letters (A to Z & 0 to 9) - 50mm (2")

1976

House numerals and letters (A to Z & 0 to 9) – 45mm (1 3/4")

1979

House numerals and letters (A to Z & 0 to 9) 50mm (2"), 76mm (3") 101mm (4"), 152mm (6") Styles may vary according to size, please refer to our website for further details.

Old English style name plates. Gold on black. This is an approximate guide as capitals are larger than lower case letters and

spaces must be allowed for between words. Our pattern shop will make your individual plate on the most appropriate size for the best results. For longer names it may be better to use two plates alongside each other or one above the other.

Also available in gold on black. Supplied with chain (not shown) 368 x 73mm (14 1/2" x 2 7/8")

BLACK IRON RANGE | DOOR ACCESSORIES 61 60 KIRKPATRICK.CO.UK

Push plate 769 and door knob 1550 in Argent 62 KIRKPATRICK.CO.UK

DOOR AND GATE FURNITURE DOOR ACCESSORIES





4146



Door finger plate 304 x 57mm (12" x 2 1/4")

4146
Door kicking plate
Plain pattern manufactured
from steel not iron Various sizes available

Door finger plate 339 x 73mm (13 3/8" x 2 7/8")

Door finger plate 304 x 63mm (12" x 2 1/2")

768Door finger plate
222 x 73mm (8 3/4" x 2 7/8")

GATE FITTINGS

GATE STOPS, CATCHES, LOCKING BARS/ HASP AND STAPLES





Automatic door catch 76mm (3")

2761 Gate catch

317mm (12 1/2")

4195

Hasp and staple 152 x 127 x 57mm (6" x 5" x 2 1/4") Also available in a galvanised finish

2758

Gate stop Length – 210mm (8 1/4") Height – 178mm (7")

2760

Gate stop Length – 121mm (4 3/4") Width – 95mm (3 3/4") Height – 76mm (3") Opening – 64 x 50mm (2 1/2" x 2")

4196


Hasp and staple $127 \times 83 \times 29$ mm (5" x 31/4" x 11/8") Also available in a galvanised finish

179/180

Gate stop with cement fixing (as shown – 179) Gate stop with floor plate fixing (180) Length – 330mm (13") Height – 254mm (10")

1736

Parliament hinge 102 x 102mm (4" x 4") 127 x 102mm (5" x 4") 152 x 102mm (6" x 4")



1127

101mm (4"), 127mm (5"), 152mm (6")

3416

Safety hasp & staple Closed – 101 x 50mm (4 x 2") or 152 x 50mm (6 x 2")

4290

152 x 38mm (6" x 1 1/2") 203 x 38mm (8" x 1 1/2") 254 x 41mm (10" x 1 5/8") 305 x 44mm (12" x 1 3/4") 356 x 48mm (14" x 1 7/8") 406 x 51mm (16" x 2") 457 x 60mm (18" x 2 3/8") 508 x 60mm (20" x 2 3/8")

1637

76mm (3"), 101mm (4"), 152mm (6"), 203mm (8"), 254mm (10"), 305mm (12"), 356mm (14"), 406mm (16"), 457mm (18")

4509

Trap door hinge 330 x 203mm (13" x 8") or 381 x 203mm (15 3/4" x 8")

3430

Locking bar 254 x 41mm (10" x 1 5/8") 305 x 44mm (12" x 1 3/4") 356 x 48mm (14" x 1 7/8") 406 x 51mm (16" x 2")

1011

76mm (3"), 101mm (4"), 152mm (6"), 203mm (8"), 254mm (10"), 305mm (12"), 356mm (14"), 406mm (16"), 457mm (18")

3413

152 x 38mm (6" x 1 1/2") 203 x 38mm (8" x 1 1/2") 254 x 38mm (10" x 1 1/2") 305 x 38mm (12" x 1 1/2") 381 x 38mm (15" x 1 1/2") 457 x 38mm (18" x 1 1/2")

3665

610 x 64mm (24" x 2 1/2") 762 x 64mm (30" x 2 1/2") 915 x 64mm (36" x 2 1/2")

64 KIRKPATRICK.CO.UK

BLACK IRON RANGE | GATE FITTINGS 65

Casement fastener 1182 and casement stay 1184 in Antique Black 66 KIRKPATRICK.CO.UK

WINDOW FURNITURE **CASEMENT FASTENERS**



1028

Hook & mortice - 95 x 67mm (3 3/4" x 2 3/4")

1121

Hook & mortice. Reversible Matches 857 casement stay
Backplate – 60 x 21mm (2 3/8" x 7/8")
Available in Smooth Black – 859

906 (Mortice) / 906A (Hook)

Hook & mortice. Reversible Backplate - 60 x 21mm (2 3/8" x 7/8")

See glossary (p127) to understand the difference between hook and mortice plates.

Hook & mortice – 152 x 114mm (6" x 4")

1121W

Wedge fastener Available as left or right handed Matches 857 casement stay 57 x 17mm (2 1/4" x 5/8")

Hook & mortice Available as left or right handed Matches 857 casement stay Backplate – 65 x 21mm (2 1/2" x 7/8")

Hook & mortice. Reversible Matches 1184 casement stay Backplate – 60 x 21mm (2 3/8" x 7/8")

1166 Lockable Available as left or right handed Matches 857 casement stay 57 x 17mm (2 1/4" x 5/8")

Hook & mortice. Reversible Matches 1183 casement stay Backplate - 65 x 21mm (2 1/2" x 7/8")

WINDOW FURNITURE **CASEMENT FASTENERS**





Hook & mortice. Reversible Backplate – 60 x 21mm (2 3/8" x 7/8")

Lockable. Left or right handed Matches 1180 casement stay 57 x 18mm (2 1/4" x 3/4")

Hook & mortice. Reversible Matches 1180 casement stay Backplate - 60 x 21mm (2 3/8" x 7/8")

Hook & mortice. Reversible Backplate - 60 x 21mm (2 3/8" x 7/8")

Three point lockable. Left or right handed Matches 1180 casement stay Backplate – 58 x 25mm (2 1/4" x 1")

1181NVL Lockable night vent fastener. Left or right handed Matches 1180 casement stay Backplate – 81 x 18mm (3 1/4" x 3/4") Non-locking version also available

Hook & mortice. Left or right handed Matches 1600 casement stay Backplate – 20 x 58mm (3/4" x 2 1/4")

Lockable. Left or right handed Matches 1180 casement stay Backplate – 70 x 21mm (2 3/4" x 7/8")

Raised tongue fastener suitable for fitting to windows with draught excluder Matches 1180 casement stay Backplate - 60 x 22mm (2 3/8" x 7/8")



Casement fastener 3365 and casement stay 1312 in Argent 70 KIRKPATRICK.CO.UK

WINDOW FURNITURE **CASEMENT FASTENERS**



2723 Locking catch Matches 857 casement stay
Backplate – 55 x 28mm (2 1/8" x 1 1/8")
Locking snib plate – 55 x 20mm (2 1/8" x 3/4")

Hook (141) & mortice (140) Matches 171 casement stay Backplate – 85 x 25mm (3 3/8" x 1")

Matches 504 casement stay Backplate - 55 x 15mm (2 1/8" x 5/8")

3365 Hook & mortice. Reversible Matches 1312 casement stay Backplate – 57 x 20mm (2 1/4" x 3/4")

144/145

Hook (145) & mortice (144) Matches 171 casement stay Backplate – 55 x 25mm (2 1/8" x 1")

1460

Sash window fastener Plate – 70 x 20mm (2 3/4" x 7/8") Catchplate - 68 x 15mm (2 3/4" x 5/8")

Hook & mortice. Reversible Matches 858 casement stay
Backplate – 60 x 21mm (2 3/8" x 7/8")
Available in Antique Black – 1121

Hook (147) & mortice (146). Lockable Left or right handed available Matches 171 casement stay
Backplate – 68 x 19mm (2 5/8" x 3/4")

1557 Window fastener 73 x 26mm (2 7/8" x 1")

1132 Window fastener 60 x 15mm (2 3/8" x 5/8")

WINDOW FURNITURE CASEMENT FASTENERS





1171

Lockable espagnolette fixing. Narrow backplate suitable for UPVC windows Matches 1180 casement stay Left or right handed Backplate – 70 x 16mm (2 3/4" x 5/8") Handle length – 98mm (3 7/8")

Lockable espagnolette fixing. Narrow backplate suitable for UPVC windows Matching casement stay available Left or right handed Backplate – 70 x 16mm (2 3/4" x 5/8") Handle length – 127mm (5")

1168

Lockable espagnolette fixing. Narrow backplate suitable for UPVC windows Matches 1180 casement stay Left or right handed Backplate – 70 x 16mm (2 3/4" x 5/8") Handle length – 128mm (5")

Lockable espagnolette fixing. Narrow backplate suitable for UPVC windows Matches 1312 casement stay Left or right handed Backplate – 70 x 16mm (2 3/4" x 5/8") Handle length – 128mm (5")



WINDOW FURNITURE CASEMENT STAYS
















857 Matches 1121 fastener 191mm (7"), 228mm (9"), 279mm (11"), 330mm (13")

Matches 1181 fastener 203mm (8"), 254mm (10"), 304mm (12")

Matches 859 fastener 279mm (11") or 330mm (13")

Matches 144/45 & 146/147 fasteners 152mm (6"), 203mm (8"), 254mm (10"), 305mm (12")





1312 Matches 3365 fastener 203mm (8"), 254mm (10"), 305mm (12")

1184 Matches 1182 fastener 203mm (8"), 254mm (10"), 304mm (12") 504 Matching items available 254mm (10")

1600 Matches 1601 fastener 304mm (12")

74 KIRKPATRICK.CO.UK BLACK IRON RANGE | CASEMENT STAYS 75

WINDOW FURNITURE **CASEMENT STAYS**





1752 Skylight stay 254mm (10"), 305mm (12") 381mm (15"), 457mm (18") 533mm (21"), 610mm (24") 686mm (27"), 762mm (30") 915mm (36"), 1066mm (42") 1220mm (48")

4120

Roller arm for fanlight 152mm (6") or 203mm (8")

279mm (11") or 330mm (13")

Shutter flap. Reversible

Spike – 178mm (7") 178mm (7") or 216mm (8")

152mm (6"), 203mm (8"),

381mm (15")

254mm (10"), 305mm (12")

1126

Screw down 254mm (10"), 304mm (12"), 381mm (15")



















Fanlight catch. Flush or recessed 127mm (5") or 178mm (7")

Rule jointed stay Open – 254mm (10") or 305mm (12")

607A/607Spring fanlight catch with gun metal shoots 32 x 44mm (11/4" x 13/4")

Shutter fastener – 133 x 50mm (5 1/4" x 2") Spike - 108mm (4 1/4")

116

Locking pivot

5182

Window restrictor White (5182) Dark brown (5180) Light brown (5181)

5182

Shutter flap – 152 x 50mm (6" x 2") Spike – 108mm (4 1/4")

117 Side fixing pivot

5145

Rack bolt key

5146

Window rack bolt

Handle 834 and hasp & staple 932 in Antique Black 78 KIRKPATRICK.CO.UK

CABINET AND DRAWER FURNITURE **HANDLES**



Drawer handle 55 x 45mm (2 1/5" x 1 4/5")

1013 Drawer handle

Diameter - 35mm (1 2/5")

1137

Turn button - 62mm (21/2")

1543

Drawer handle Diameter - 42mm (15/8") 1528

Drawer handle 80 x 35mm (3 1/7" x 1 2/5")

1192

Drawer handle 40 x 40mm (14/7" x 14/7")

Drawer pull Plate – 171 x 70mm (6 3/4" x 2 3/4") Handle – 127mm (5")

1217

Drawer handle Diameter - 35mm (1 2/5")

Drawer handle 80 x 35mm (3 1/7" x 1 2/5")

Hasp and staple 148 x 77mm (5 7/8" x 3")

Drawer pulls 3960 and cupboard knobs 1135 in Antique Black 80 KIRKPATRICK.CO.UK

CABINET AND DRAWER FURNITURE KNOBS AND PULLS



















1194 AB P



1195

Cupboard knob Bolt or screw – 35mm (1 3/8") Rose – 38mm (1 1/2")

Cupboard knob Screw – 25mm (1")

1549

Drawer pull 80 x 36mm (3 1/2" x 1 3/8")

1549

Cupboard knob Diameter – 25mm (1")

Sash pull - 63mm (2 1/2")

Drawer pull

Knob – 114 x 50mm (4 1/2" x 2")

Turn button – 62mm (2 1/2")

2586

Sash pull 79 x 31mm (3 1/8" x 1 1/4") Projection – 31mm (1 1/4")

Drawer pull – 108mm (4 1/4")

HOME ACCESSORIES HOOKS AND BRACKETS





734 Hat and coat hook 101mm (4")

1129

Coat hook Backplate – 40 x 40mm (1 1/2" x 1 1/2") Projection – 65mm (2 1/2")

1130

Hat and coat hook 152mm (6")

Hat and coat hook 127mm (5")

4463

Fleur-de-lys hook Backplate – 54 x 54mm (2" x 2") Projection – 70mm (2 3/4")

745

Hat and coat hook 152mm (5 1/4")


4269

Hat and coat hook 140 x 76mm (5 1/2 x 3")

212

Hat and coat hook 152mm (6")

Hat and coat hook 152mm (6")



HOME ACCESSORIES HOOKS AND BRACKETS





2378 Hat and coat hook 146 x 76mm (5 3/4" x 3") Projection – 70mm (2 3/4")

Coat hook Backplate - 50 x 50mm (2" x 2") Projection – 70mm (2 3/4")

Handrail bracket 50mm (2"), 64mm (21/2"), 76mm (3")

Coat hook - 50 x 24mm (2" x 1") Projection - 50mm (2")

1174

Coat hook - 80 x 50mm (3 1/8" x 2") Projection - 35mm (13/8")

Handrail bracket 50mm (2"), 64mm (2 1/2"), 76mm (3")

Coat hook - 50 x 24mm (2" x 1") Projection - 50mm (2")

1238

Picture hook – 45mm (1 3/4") Projection – 20mm (3/4")

Extra strong handrail bracket 64mm (2 1/2") or 83mm (3 1/4")

Handrail bracket Projection - 50mm (2")









3001

Toilet roll holder Backplate – 85 x 85mm (3 1/4" x 3 1/4") Arm - 230mm overall

5130

Clothes rack/airer Length - 1,524 mm (60") Brackets - 349mm (13 3/4") Shelf unit

609mm (24"), 914mm (36"), 1,219mm (48"), 1,524mm (60") Bracket length – 180mm (7 1/16") Projection – 225mm (8 7/8")

HOME ACCESSORIES LIGHTING















Hanging wall lantern with hexagonal cage 552 x 15mm (21 3/4" x 5/8") Plate – 254 x 50mm (10" x 2") Canopy – 190mm (7 1/2")

Hanging wall lantern Supplied with wall bracket and ceiling rose or corner bracket Plate – 260 x 44mm (10 1/4" x 1 3/4") Frame – 203 x 114mm (8" x 4 1/2")

Hanging wall lantern with square cage 177 x 177mm (7" x 7"), Plate – 254 x 50mm (10" x 2") Canopy – 228 x 228mm (9" x 9")

Hanging wall lantern with hexagonal cage Plate – 339 x 73mm (13" x 2 7/8") Projection - 200mm (8") Cage – 175 x 150mm (7" x 6")

406 Wall light Bracket only supplied, not wired
Candle drips, bulbs or shades not included
Twin – 263 x 276mm (10 3/8" x 10 7/8")
Single – 263 x 148mm (10 7/8" x 5 3/4")

Hanging wall lantern
Supplied with wall bracket & ceiling rose
or corner bracket Frame - 203 x 114mm (8" x 4 1/2") Height - 304mm (12")



Coal tongs 3023 and fire poker 4185 in Antique Black. Beetle shoe remover 5005 in Smooth Black 88 KIRKPATRICK.CO.UK

HOME ACCESSORIES PATIO AND FIRESIDE



813 Wall bracket 101 x 76mm (4" x 3") 152 x 127mm (6" x 5") 222 x 173mm (9" x 7")

Basket hook Projection – 228mm (9"), 304mm (12"), 381mm (15")

Beetle shoe remover 240 x 130 (9 1/2 x 5")

3612

Flower pot holder 260 x 190mm (10 1/4" x 7 1/2")

4342

Boot scraper Height – 356mm (14") Width – 196mm (7 3/4")

3023

Coal tongs 277mm (11 1/2")

2842

Fork, broom & shovel holder Projection – 76mm (3") Plate – 114 x 51mm (4 1/2" x 2")

3600


Basket hook 152mm (6"), 203mm (8"), 254mm (10"), 305mm (12")

Boot scraper Width – 356mm (14") Depth – 330mm (13")

4185

Fire poker 457mm (18")












Pull handle 3652 and escutcheon 1400; door bolts 4321 all in Antique Black









Left page, clockwise from top: Casement fasteners 1121 and stays 857; fireside accessories; privacy bolt 1150; casement fasteners 140/141 and stays 1180 all in Antique Black. Right page: Casement stays 857 in Antique Black







BLACKSMITH FORGE RANGE DOOR FURNITURE













6058


Ring knocker Backplate – 115mm (4 1/2") Ring – 110mm (4 3/8")

6050/6051 Lever handle Sprung (6050) – lock, latch or bathroom Unsprung (6051) – lock, latch or Euro 270 x 38mm (10 3/4" x 1 1/2")

Letter plate
Outside – 267 x 114mm (10 1/2" x 4 1/2")
Opening – 203 x 41mm (8" x 1 5/8")
Fixing bolt centres – 235mm (9 1/4")

6052/6053 Lever handle Sprung (6052) – Lock, latch or bathroom Unsprung (6053) – Lock, latch or Euro 240 x 40mm (9 3/8" x 15/8")

6081Cylinder pull
Backplate – 85 x 50mm (3 3/8" x 2")
Projection – 20mm (3/4")



BLACKSMITH FORGE RANGE DOOR FURNITURE



6059

Bolt – straight or cranked 102mm (4"), 152mm (6")

6057 Door hinge 152mm (6"), 229mm (9"), 305mm (12"), 381mm (15"), 457mm (18"), 559mm (22") Butt - 95mm (3 3/4")

6056 Thumb latch set Handle – 205mm (8") Latch bar – 185mm (71/2")

Bolt – straight or cranked 102mm (4"), 152mm (6")

6082 Door hinge 152mm (6"), 229mm (9") 305mm (12"), 381mm (15") 457mm (18"), 559mm (22") Butt - 95mm (3 3/4")

6071

Thumb latch set Handle – 185mm (7 1/2") Latch bar – 185mm (7 1/2")

See glossary (p127) to understand the difference between straight and cranked.

BLACKSMITH FORGE RANGE WINDOW FURNITURE





6069

Casement stay 203mm (8"), 254mm (10"), 305mm (12")

6070

Casement stay 203mm (8"), 254mm (10"), 305mm (12")


6062 Lockable casement fastener Hook or mortice. Left or right handed Fixing plate – 56 x 15mm (2 1/4" x 5/8") Handle length – 100mm (4")

6063
Lockable casement fastener
Hook or mortice. Left or right handed
Fixing plate – 56 x 15mm (2 1/4" x 5/8")
Handle length – 100mm (4")




BLACKSMITH FORGE RANGE HOOKS AND HANDLES





6067 Hat and coat hook Plate – 80mm x 20mm (3 1/8" x 3/4") Projection – 60mm (2 3/8") 6065 Coat hook Plate – 72 x 54mm (2 3/4" x 2 1/8") Projection – 58mm (2 1/4")

6066 Coat hook Plate – 80 x 20mm (3 1/8" x 3/4") Projection – 45mm (1 3/4") 6060 Pull handle 102 x 23mm (4"x 7/8") 152 x 32mm (6" x 1 1/4") 203 x 38mm (8" x 1 1/2") 6061 Pull handle 102 x 30mm (4"x 1 3/16") 152 x 40mm (6" x 1 9/16") 203 x 52mm (8" x 2")



CAST BRASS RANGE DOOR FURNITURE

t fastener B1181 in Cast Brass









B1083



B1102

B1073

B4896

CAST BRASS RANGE

105 Door furniture

Window furniture

114 Hooks, handles and locks

The traditional handcrafted nature of our production process means that all listed sizes are approximate.

B4896

Lions head door knocker 114 x 95mm (4 1/2" x 3 3/4") Ring – 101mm (4")

B1073 Letter plate Outside – 362 x 88mm (14 1/4" x 3 1/2") Opening – 203 x 44mm (8" x 1 3/4") Fixing bolt centres – 277mm (10 3/4")

Letter plate Internal flap – 292 x 76mm (11 1/2" x 3")

Bat bedroom door knocker 76 x 89mm (3" x 3 1/2")

Letter plate
Outside – 266 x 108mm (10 1/2" x 4 1/2") Opening – 203 x 44mm (8" x 1 3/4") Fixing bolt centres – 241mm (9 1/4")

104

CAST BRASS RANGE DOOR FURNITURE

















B2454

Lever handle Lock, latch or bathroom 152 x 38mm (6" x 1 1/2") Short latch only – 101 x 38mm (4" x 1 1/2")

B2454 Lever handle Lock, latch or bathroom Plate – 164 x 47mm (6 1/2" x 1 7/8") B2439SP

B2451

B2439SP

Lever handle Short plate, latch only Plate 101 x 38mm (4" x 1 1/2")

B2451

Lever handle Lock, latch or bathroom 164 x 47mm (6 1/2" x 1 7/8") B2450

Lever handle Lock, latch or bathroom Plate – 190 x 55mm (7 1/2" x 2 1/4")

B2561

B2561

Lever handle Lock – 140 x 38mm (5 1/2" x 1 1/2") Latch – 114 x 38mm (4 1/2" x 1 1/2")












B3603 Pull handle 191 x 64mm (7 1/2" x 2 1/2")

B564 Pull handle 101mm (4"), 127mm (5"), 152mm (6"), 177mm (7"), 228mm (9")

Door finger plate 304 x 63mm (12" x 2 1/2")

B2156 Door finger plate 339 x 73mm (13 3/8" x 2 7/8")

CAST BRASS RANGE **DOOR FURNITURE**





Hinge – suitable for cabinet doors 83 x 45mm (3 1/4" x 1 3/4)

B814

Hinge 152 x 63mm (6" x 2 1/2") 263 x 101mm (10 1/2" x 4") 313 x 101mm (12" x 4") 388 x 101mm (15" x 4") 456 x 101mm (18" x 4")

B1155

Straight or cranked Plate – 152 x 45mm (6" x 1 3/4") or 203 x 54mm (8" x 2 1/8")

Straight only Plate - 254 x 54mm (10" x 2 1/8") or 304 x 54mm (12" x 2 1/8")

B3619

Thumb latch Handle - 203 x 63mm (8" x 2 1/2") Latch - 127mm (5")

B3679

Hinge - 304 x 108mm (12" x 4.25") or 381 x 108mm (15" x 4.25")

B1131

Straight or cranked Plate - 101 x 25mm (4" x 1")

B3613

Thumb latch handle 228 x 63mm (7 3/4" x 2 1/2") Latch - 197mm (7 3/4")

B798

Hinge - 304 x 139mm (12" x 5 1/2")

B1157

Straight or cranked Plate - 114 x 38mm (4 1/2" x 1 1/2") Bolt - 127mm (5")

Plate - 190 x 57mm (7 1/2" x 2 1/4")

Bolt - 203mm (8")

Straight only Plate – 241 x 57mm (9 1/2" x 2 1/4")

Bolt - 254mm (10")

Plate - 292 x 57mm (11 1/2" x 2 1/4")

Bolt - 304mm (12")

See glossary (p127) to understand the difference between straight and cranked.



















B1205 Door knob Mortice or rim Knob - 50mm (2") Plate - 85mm (3 3/8")

B1081

B3056 Door knob Mortice or rim

Knob - 57mm (2 1/4") Plate - 63mm (21/2")

B1081 Door stud. Drive or screw Head - 19mm (3/4")

B1550 Door knob Mortice or rim

Knob - 63 x 39mm (21/2"x11/2") Plate - 57mm (2 1/4")

B3064

Centre door knob Knob - 70mm (23/4") Plate - 76mm (3")

B153

Door stud. Screw Head - 22mm (7/8") Door knob Mortice or rim

B1551

B1979

Knob - 63 x 38mm (2 1/2" x 1 1/2") Plate - 67 x 50mm (2 5/8" x 2") B1195

Cupboard knob 35mm (13/8") Rose - 38mm (11/2")

Letters and numerals (A to Z & 0 to 9) 76mm (3")

CAST BRASS RANGE DOOR FURNITURE

B1402







B1065



B1485











B1402

B1761

Escutcheon 51 x 51mm (2" x 2")

B1485 Cylinder latch pull 85 x 50mm (3 1/2" x 2")

B1761

Bell push 121 x 32mm (4 3/4" x 1 1/4")

B1401 Escutcheon 51 x 51mm (2" x 2")

B1486

Cylinder latch cover/pull 127 x 58mm (5" x 2 1/2")

B1493

Escutcheon 73 x 25mm (2 7/8" x 1")

B1065 Escutcheon 54 x 25mm (2 1/8" x 1")

B1150

Privacy bolt with vacant/engaged sign Latch – 64 x 25mm (2 1/2" x 1") Catch – 64 x 20mm (2 1/2" x 3/4") Disc – 70 x 70mm (2 3/4" x 2 3/4")

B1502

Escutcheon 45 x 30mm (1 3/4" x 1 1/8")





CAST BRASS RANGE WINDOW FURNITURE



B140/B141

Casement fastener Hook (141) & mortice (140). Smooth finish Matches 171 casement stay Backplate – 85 x 25mm (3 3/8" x 1")

B1181

Casement fastener Hook & mortice. Reversible
Matches 1180 casement stay
Backplate – 60 x 21mm (2 3/8" x 7/8")

Casement stay 203mm (8"), 254mm (10"), 304mm (12")

See glossary (p127) to understand the difference between hook and mortice plates.

B144/B145 Casement fastener Hook (145) & mortice (144). Smooth finish Matches 171 casement stay Backplate – 55 x 25mm (2 1/8" x 1")

B1166

Casement fastener. Lockable Available as left or right handed Matches 857 casement stay 57 x 18mm (2 1/4" x 3/4")

Casement stay. Smooth finish 152mm (6"), 203mm (8"), 254mm (10"), 305mm (12")

B1165

Casement fastener. Lockable Available as left or right handed Matches 1180 casement stay 57 x 18mm (2 1/4" x 3/4")

B1121

Casement fastener Hook & mortice. Reversible
Matches 857 casement stay
Backplate – 60 x 21mm (2 3/8" x 7/8")

Casement stay. Matches 1121 fastener 191mm (7"), 228mm (9"), 279mm (11"), 330mm (13")

CAST BRASS RANGE HOOKS, HANDLES AND LOCKS







B1129









B1174

B1130

B679

Hat and coat hook

152mm (6")

Ring handle

Coat hook – 80 x 50mm (3 1/8" x 2") Projection – 35mm (1 3/8")







Projection - 50mm (2") **B4463** Fleur-de-lys hook Backplate – 54 x 54mm (2" x 2") Projection - 70mm (2 3/4")

B916 Rose – 63mm (2 1/2") Handle – 76mm (3") Drawer handle 67 x 36mm (2 3/5" x 1 7/16")

B1129 Coat hook Backplate - 40 x 40mm (11/2" x 11/2") Projection - 65mm (21/2") B632 Ring handle Rose – 101mm (4") Handle - 101mm (4")

B910

Drawer handle 50 x 25mm (2" x 1")









B406

Interior wall lamp Double – 263 x 276mm (10 3/8" x 10 7/8") Single - 263 x 148mm (10 7/8" x 5 3/4")


B3754 Fanlight catch Smooth finish. Also in flush fitting 127mm (5") or 178mm (7")

B1204

Rim lock set Lock or latch. Supplied with 1550 knob, oval escutcheon and Wilkes spindle Lock body – 125 x 103 x 19mm (4 3/4" x 4" x 3/4")

Locking pivot
For use with casement stay Smooth finish

RAWNSLEY RANGE

























T540 Letter plate Width - 250mm (10") Aperture – 183 x 25mm (7 1/4" x 1")

WPE906 Door knocker Length - 228mm (91/2")

T940

Door knob Mortice or rim Knob - 56mm (23/16") T541

Letter plate Width - 205mm (8") Aperture – 121 x 25mm (4 3/4" x 1")

WPE911

Door knocker Length - 190mm (71/2")

T1020

Drawer pull Width - 115mm (4 1/2") T710

Door knocker Length - 223mm (8")

RLC451C


Rimlock Lock body - 158 x 115mm (6 1/4" x 4 1/2")

RLC451C - Complete rimlock set with T940 knob and escutcheon

RLC451 - Rimlock, lock cover and keep only (No knobs)

RLC451A - Lock cover and keep only (No knobs or rimlock)






BEAUTIFULLY BESPOKE

With our many years' experience of casting malleable iron we have the capability to make bespoke items to replace unique items which are no longer available.

This service is typically used when renovating listed buildings. To do this we would normally require a sample of the existing product so that we can produce a new pattern from which to make a casting.

We have made bespoke fittings for a number of different places including Lincoln Castle, St Peters College and a Military College in London.

TAKING CARE OF YOUR PRODUCTS



Metal in most forms is susceptible to corrosion. Depending upon their function our malleable iron products are subjected to either a one or two stage coating process followed by stove drying to form our durable and hard wearing traditional finish.

Over time the finish can be affected particularly where moving parts rub together. To protect your ironwork we recommend that any moving parts are lightly oiled prior to fitting with a three-in-one lubricant. We also recommend wiping the products with a lightly oiled cloth from time to time to remove any harmful deposits and reapplying a small amount of oil to moving parts. This is particularly advisable if located near the coastline.

If the protective coating is damaged or chipped in any way, a Hammerite type paint should be applied to maintain protection against corrosion.

By adopting this simple advice you can help ensure that your Kirkpatrick products will remain both functional and decorative and will last a lifetime.





St Peters College, Oxford Window fittings

We were asked to reproduce some casement fasteners and stays to match with the rest of the University building which could not be sourced elsewhere. Our copy of the fastener (shown above) is the black one!



Lincoln Castle Prison cell door parts

We used the existing ironmongery to make new patterns and produce castings for the gaol.



Personal commission Bespoke door knocker

We were asked to create a bespoke door knocker for a customer who wanted a memento of her favourite horse, using one of his actual horseshoes.





Iron products are very durable and can last for many years. If a listed building is being renovated there is very often the option to re-use the original ironmongery.

However, although the actual product is still functional and strong it is often the case that it has been painted over several times and its original beauty has been lost.

We have the capability to restore such products to their original glory by using the skills and techniques built up over 160 years.

122 KIRKPATRICK.CO.UK



















We all love a good picture, taking them and admiring them too. So if you have any of our products fitted in or around your home we would love you to share your photos with us.

Why bother?

Our favourite image every three months will receive some high street vouchers.

For more details please visit: kirkpatrick.co.uk/inspiration/gallery

Please email your pictures to: pics@kirkpatrick.co.uk

Or tweet your pictures to:
@kirkpatrickltd

To find out who submitted these competition entries, check the Customer gallery page on our website.

GET YOUR HANDS ON OUR PRODUCTS

Visit our easy to use website for a full up-to-date list of local, UK and international stockists. We keep most of our products in stock so if our distributors don't have what you are looking for we aim to deliver it to them within 72 hours.

Or browse through our extensive product range and view our image gallery to find some fresh ideas for your home or business.

Your beautiful British home deserves some beautiful British ironwork.



GLOSSARY

LEVER HANDLE LOCK TYPES

Lock

A traditional key operated locking system.

Latch

A handle operated, spring loaded tongue which 'clicks' shut, holding the door closed but not locking it.

Bathroom

A turn and release locking system which allows the door to be locked and unlocked from one side only for privacy without the use of a key.

Euro cylinder

A keyhole shaped lock barrel which fits into an appropriately shaped hole within the door and its handle.

Oval lock

Very similar to a euro cylinder but with an oval rather than keyhole shaped barrel.



k Latch



Euro cylinder

THUMB LATCH TYPES CRANKED OR STRAIGHT?

Cranked

The handle is offset to one side slightly to accommodate for a left hand or right handed door. Sometimes the actual thumb lever can be off-set also.




BOLT TYPES CRANKED OR STRAIGHT?

Straight

The bolt sits on the same plane as the bolt fixing.

Cranked

A cranked bolt is angled out like a step to allow it to fix in position at a 90 degree angle to the actual bolt.



DOOR KNOBS/LOCKS MORTICE OR RIM?

Mortice

A mortice knob can be turned to operate a tongue latch within the door that slots into a mortice (hole) in the door frame, holding the door closed or releasing it.

Rii

A rim knob sits on top of a rim latch or rim lock box, which is mounted onto the face of the door. Turning the knob operates a tongue latch inside the box which slots into a keeper on the door frame, securing or releasing the door.





WINDOW FASTENINGS HOOK OR MORTICE?

Hook

A hook fastening slots into a protruding hook attached to the window frame.

Mortic

A mortice fastening fits into a recess in the window frame.




126 MMADE IN BRITAIN

PRODUCT INDEX

			1				I		1	P	Product	_	Product	_	Product		Product	
Product	Pg	Product	Pg	Product	Pg	Product	Pg	Product	Pg		Code	Pg	Code	Pg	Code	Pg	Code	Pg
Code		Code		Code		Code		Code		2	2618	52	3979	31	6067	102	B2450	106
116	77	817	25	1117	50	1239	50	1778	55		2621	52	3981	30	6068	99	B2451	106
117	77	819	25	1119	81	1246	31	1783	55		2623	52	3998	77	6069	100	B2454	106
140/141	71	820	25	1120	23	1248	30	1814	21		2629	52	4013	45	6070	100	B2561	106
144/145	71	821	25	1121	67	1249	31	1820	21		2630	52	4064	48	6071	99	B2621	105
146/147	71	828	55	1121W	67	1251	30	1855	61		2709	71	4085	48	6080	97	B3056	109
153	58	829	23	1124	27	1253	55	1883	45		2723	71	4088	31	6081	97	B3064	109
171	74	830	35	1125	44	1257	36	1911	33		2758	64	4090	36	6082	99	B3603	107
179/180	64	832	52	1126	76	1298	76	1949	81		2760	64	4091	39	7000-7014	40/41	B3613	108
212	82	834	79	1127	65	1312	75	1963	34	2	2761	64	4120	76	B116	115	B3619	108
357	84	836	84	1129	82	1324	33	1976	61	2	2788	44	4146	63	B140/B141	113	B3679	108
400/401	86	837	82	1130	82	1400	60	1977	61	2	2842	89	4185	89	B144/B145	113	B3754	115
403	86	838	67	1131	35	1401	60	1979	61	2	2967	39	4195	64	B153	109	B4463	114
405	86	846	50	1132	71	1460	71	2105	45	2	2968	39	4196	64	B171	113	B4896	105
406	86	853	56	1135	81	1481	57	2155	43	3	3001	85	4269	82	B406	115	C387	49
407	86	857	74	1137	79	1482	57	2156	63	3	3011	60	4290	65	B564	107	RLC451 C	117
491	30	858	74	1145	27	1484	55	2157	43	3	3012	60	4305	29	B632	114	S520	39
504	75	859 866	71	1146	31	1485	55 55	2164	43	3	3023	89	4320	28	B679	114	T540	117
564 571	44	866 867	31	1147	27	1486	55 55	2167	43		3045	60	4321	36	B769	107	T541	117
571 574	52 50	867 869	31	1149	35	1487 1488	55 56	2172 2173	43		3056	48	4342	89	B798	108	T710	117
57 4 578	50 50	869 879	31 17	1150 1154	39 36	1488 1490	56 58	2173 2175	43 58		3064	48	4359	89	B814	108	T940	117
576 582	64	883	76	1154	35	1490	60	2176	58 58	3	3066	48	4438	31	B857	113	T1020	117
586	50	896	50	1156	35	1498	56	2378	84		3067	47	4463	82	B910	114	WPE906	117
607/607A	77	902	35	1150	35	1502	58	2432	17		3072	48	4509	65	B916	114	WPE911	117
619	23	902	35	1157	39	1502	58	2432	12		3075	49	4601	89	B926	108		
620	23	905	74	1159	22	1504	60	2434	12		3258	31	4748	56	B1065	110		
621	21	906/906A	67	1161	21	1507	23	2439	12		3365	71	4896	50	B1073	105		
622	21	907	28	1165	68	1507	23	2440	12		3370	48	5005	89	B1081	109		
632	30	911	30	1166	67	1509	23	2442	14		3372	48	5130	85	B1083	105		
641	25	925	24	1167	68	1510	22	2444	14		3413	65	5131	85	B1102	105		
645	22	926	24	1170	68	1511	24	2445	12		3416	65	5132	40	B1121	113		
671	27	927	24	1171	72	1512	22	2448	14		3430	65	5133	40	B1129	114		
672	77	932	79	1172	22	1513	22	2449	14		3431	30	5135	39	B1130	114		
679	30	937	44	1173	84	1517	22	2450	12		3475	77	5136	60	B1131	108		
688	27	944	52	1174	84	1528	79	2451	14		3491	84	5141	23	B1150	110		
717	30	962	33	1176	68	1543	79	2454	14		3497	84	5142	40	B1155	108		
720	82	967	34	1177	68	1546	36	2456	15		3498	84	5143	40	B1157	108		
734	82	977	25	1180	74	1547	36	2459	17		3499	84	5144	40	B1165	113		
745	82	978	25	1181	68	1549	81	2460	17		3600	89	5145	77	B1166	113		
751	56	985	79	1181NVL	68	1550	47	2461	17		3603	43	5146	77	B1173	114		
754	12	997	79	1182	67	1551	47	2462	17		3612	89	5147	39	B1174	114		
768	63	1005	52	1183	74	1553	49	2463	18		3613	28	5148	23	B1180	113		
769	63	1011	65	1184	75	1554	49	2471	17		3614	28	5170	36	B1181	113		
770	63	1013	79	1185	67	1557	71	2488	14		3618	27	5182	77	B1195	109		
777	61	1027	67	1190	58	1558	23	2491	15		3619	27	Cylinder 6000		B1204	115		
782	50	1028	67	1192	79	1563	12	2494	15		3620	28	6050/6051	97	B1205	109		
796	36	1031	72	1193	68	1578	44	2495	15		3622	29	6052/6053	97	B1401	110		
797	25	1053	55	1194	81	1579	44	2496	15		3623	28	6054	18	B1402	110		
798	25	1065	12/58	1195	81	1600	75	2519	14		3624	27	6056 6057	99	B1485	110		
799	21	1069	47	1196	35	1601	68	2520	14		3625	28	6057	99	B1486	110		
807	43	1073	33	1197	52	1637	65	2521	17		3628 3630	28	6058 6059	97 99	B1493 B1502	110 110		
808	47	1078	76	1203	48	1681	29	2522	18		3630	27				I .		
809	22	1081	58	1204	39	1684	28	2523	17		3651 2652	44	6060	102	B1550	109		
810	21	1083	33	1205	47	1736	64	2524	18		3652	44	6061	102	B1551	109		
812	36	1085	33	1206	47	1752	76	2563	15		3665 2670	65	6062	100	B1761	110		
813	89	1089	47	1207	47	1753	56	2564	15		3679	21	6063	100	B1979	109		
814	21	1100	34	1217	79	1756	56	2568	15		3754	77	6064	102	B2156	107		
814F	25	1102	34	1233	34	1759	56	2586	81		3900 3960	76 81	6065 6066	102 102	B2439 B2439SP	106 106		
		1103	34	1238	84	1761	56	2587	81		つつひし	A	OUUCO	102	D24393F	100		

128 KIRKPATRICK.CO.UK



KIRKPATRICK.CO.UK

Kirkpatrick Limited Frederick Street, Walsall WS2 9NF United Kingdom

Tel *44 (0)1922 620 026 Fax *44 (0)1922 722 525 Email enquiries@kirkpatrick.co.uk



